

Model No.: **GP395F**

**Description** : Mercury and Lead Free button cell

**Chemical System** : Zinc/Silver Oxide

**Nominal Voltage** : 1.55V


**Nominal Dimension** :  $\Phi 9.50\text{mm} \times 2.70\text{mm}$

**Applications** : Watch(with alarm and lamp), Calculator, electronic toy

**Average Weight** : 0.8g

**Shelf Life** : Not less than 90% of the service capacity within first year storage at  $20 \pm 2^\circ\text{C}$   $55 \pm 20\% \text{RH}$ ; Warranty 1 year.

**Date Code** : Unless otherwise specified, each cell will carry a numeric year code and an alphabetical month code.



**Close Circuit Voltage** : 1.30V(min.)(load resistor  $400\Omega$  at  $20 \pm 2^\circ\text{C}$  for 0.1 to 2 seconds)

**Lot Acceptance Test** : 55 mAh (load  $30\text{k}\Omega$  to cut off 1.2 V under  $20 \pm 2^\circ\text{C}$ )

**Service Output Test** : 1050Hr (load  $30\text{k}\Omega$  to cut off 1.2V under  $20 \pm 2^\circ\text{C}$ )

**Cross References:**

IEC	Maxell	Duracell	Others
SR57	SR927SW	D395	V395

**Typical Discharge characteristics at  $20 \pm 2^\circ\text{C}$**

